


28:16
28:16 Pa

R. W. GILPIN.-

DEC 15, 04

water filters





ILLUSTRATED

TYPES

—OF—

Pasteur Water Filters

MANUFACTURED BY

The Pasteur-Chamberland Filter Co.

DAYTON, OHIO, U. S. A.


1900.

The Walker Litho. and Printing Co.
Dayton, Ohio.

**LIBRARY of
' ' THE ' '
FRANKLIN
INSTITUTE**

NYSA FILTER.


ORNAMENTAL.



EXTERIOR

Practical
for
Equipping
Residences,
Hotels,
Stores,
Large Buildings.

ATTRACTIVE.



INTERIOR


Cipher Word.	COMBINED WATER FILTERS AND COOLERS NYSA—PAINTED.		Cap of Res.	No. of Tubes	Height of Filter.		Diam of Base. Inches.
					Inches	Inches	
Note	No. 1	-----	1½	Gal.	1	30	12
Near	No. 3	-----	1½	"	3	30	12
Nix	No. 6	-----	3	"	6	33	15
Net	No. 12	-----	5	"	12	35	17
Next	No. 18	-----	8	"	18	41	20

NYSA—NICKEL PLATED.


Noon	No. 1	-----	1½	Gal.	1	30	12
Ned	No. 3	-----	1½	"	3	30	12
Nile	No. 6	-----	3	"	6	33	15
Name	No. 12	-----	5	"	12	35	17
Nail	No. 18	-----	8	"	18	41	20

PEDESTALS.

Convenient for Mounting Nysa, Vesta and
Vega Filters.



STYLE A.



STYLE B.

Cipher
Word.


PEDESTALS.

Height Size of
Inches. Top. Style.


Pack	For Nos. 1 and 3 Nysa	33 $\frac{1}{4}$	13	B
Pork	For Nos. 6 and 12 Nysa and Vesta,	36 $\frac{1}{4}$	18	B
Part	For No. 18 Nysa	36 $\frac{1}{4}$	23	B
Puff	For Nos. 6 and 12 Nysa and Vesta,	35 $\frac{1}{2}$	18	A
Pipe	For No. 18 Nysa	35 $\frac{1}{2}$	21	A

GLOBE RESERVOIR FILTERS.

Practical for Lavatories, Restaurants or Bars.



EXTERIOR




INTERIOR


Cipher Word.	DESCRIPTION GLOBE RESERVOIR. NICKEL PLATED.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches.	Diam. of Base. Inches.
Oar	No. 1 J. Res.	1½ Gal.	1	23½	3½
Oven	No. 1 K. "	2	1	24½	3¾
Throw	No. 3 K. "	2	3	24½	5
Text	No. 3 L. "	3	3	26	5
Snub	No. 6 L. "	3	6	26	6
Sickle	No. 6 M. "	5	6	29½	6
Twirl	No. 12 L. "	3	12	26	7½
Twist	No. 12 M. "	5	12	29½	7½
Ell	No. 18 L. "	3	18	26	9
Emm	No. 18 M. "	5	18	29½	9

GLOBE RESERVOIR—PAINTED.

Orb	No. 1 R. Res.	1½ Gal.	1	24½	3½
Trumpet	No. 3 R. "	1½	3	24½	5



Illustrating
two methods
of installing
Globe or T
Reservoir
Filters.




Pasteur Filter in Restaurant at Broad Street Station,
Penna. R. R., Philadelphia.

ACORN RESERVOIR FILTERS.


Practical for Lavatories, Restaurants or Bars.

SPECIAL FEATURE OF THIS FILTER:

The Interior of Reservoir Accessible for Cleansing when
....Necessary....



EXTERIOR



INTERIOR

Cipher Word.	DESCRIPTION.	Cap. of Res.	No. of Tubes.	Height of Filter Inches.	Diam. of Base. Inches.
Oath---No. 1	T. Res., Painted	1 1/2 Gal.	1	25 1/4	3 1/2
Opal---No. 1	U. " "	2	1	26 3/4	3 1/2
Trick---No. 3	T. " "	1 1/2	3	25 1/4	5
Trunk---No. 3	U. " "	2	3	27	5
Oblige---No. 1	V. " Nickel Plated	1 1/2	1	24 1/4	3 1/2
Obligate---No. 1	W. " " "	2	1	26 1/2	3 1/2
Tact---No. 3	V. " " "	1 1/2	3	24 3/4	5
Tack---No. 3	W. " " "	2	3	26 1/2	5
Tag---No. 3	X. " " "	3	3	27 1/4	5
Span---No. 6	V. " " "	1 1/2	6	24 3/4	6
Spare---No. 6	W. " " "	2	6	26 1/2	6
Spang---No. 6	X. " " "	3	6	27 1/4	6
Task---No. 12	X. " " "	3	12	27 1/4	7 1/2
Exit---No. 18	X. " " "	3	18	27 1/4	9

BAR FILTERS.

ORNAMENTAL.

PRACTICAL.

CONVENIENT.




Cipher Word.	BAR FILTERS.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches.	Diam. of Base. Inches.
Bean	No. 3 Nickel Plated	2 Gal.	3	25½	11½
Barley	No. 6 " "	2 Gal.	6	25½	12

TOURIST FILTER.



A Safe-guard to Health.

A necessity and pleasure when traveling.



Cipher Word.	DESCRIPTION.	Cap. of Res.	No. of Tubes.
Tart-----	Tourist in Natural Wood Box-----	None-----	1-----
Tidal-----	“ “ Seal Leather “-----	None-----	1-----

SUSPENDED FILTERS.



No. 1 Suspended and two gallon Jar set up for small family use.


Cipher Word.	PRESSURE FILTERS. Suspended.	Cap. of Res.	No. of Tubes	Height of Filter.	Diam. of Base.
Sun	No. 1 Tinned	None	1	11 1/2 In.	2 In.
Star	No. 1 Nickel Plated	None	1	11 1/2 "	2 "
Sole	No. 3 Nickel Plated	None	3	12 1/2 "	4 "

NOTE.—All Suspended Filters are listed less cocks. Cocks must be specified when wanted.


We make three styles of connection for the Suspended Filters, any one of which is easily connected, but often times one is more convenient than the other. They are described as $\frac{3}{8}$ Pet Cocks, $\frac{3}{8}$ Bent Nose Fuller Cocks and $\frac{3}{8}$ Union Connections. These cocks and connections have the Standard $\frac{3}{8}$ Pipe Thread.



PET COCK.




UNION CONNECTION.



B. N. FULLER COCK.

STORAGE JARS.



3 Gallon Jar.



5 Gallon Jar and Ice Jar.


Cipher
Word.

STORAGE JARS.


Jug	-----	2 Gallon Jar, no Ice Jar	-----
Jail	-----	3 Gallon Jar, no Ice Jar	-----
Jerry	-----	5 Gallon Jar, no Ice Jar	-----
Jam	-----	5 Gallon Jar, with Ice Jar	-----

VEGA FILTERS.

Non-Pressure Filter and Cooler.
Used where no plumbing is accessible.



EXTERIOR




INTERIOR

Cipher Word.	NON-PRESSURE COMBINED WATER FILTERS AND COOLERS. VEGA.		Cap. of Res.	No. of Tubes.	Height of		Diam. of Base.
					Filter Inches.	Inches.	
Vice	No. 4	-----	5 Gal.	4	43	-----	11½
Vail	No. 7	-----	5 "	7	43	-----	11½
Valet	No. 10	-----	5 "	10	43	-----	11½


ISIS FILTERS.

Non-Pressure Filter.

Where no plumbing is used.



EXTERIOR




INTERIOR


Cipher Word.	NON-PRESSURE FILTERS. ISIS.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches.	Diam. of Base. Inches.
Iron	No. 4	3 Gal.	4	37½	9½
Ice	No. 7	3 Gal.	7	37½	9½

LEDA FILTERS.

Another
Non-Pressure
Filter.



EXTERIOR.




INTERIOR.


Cipher Word	NON-PRESSURE FILTERS. LEDA.	Cap. of Res.	No. of Tubes.	Height of Filter Inches.	Diam. of Base Inches.
Lens--No. 3-----		2 Gal.---	3----	30½----	8-----

VESTA FILTERS.

Non-Pressure Filter and Cooler Combined.




EXTERIOR



INTERIOR


NON-PRESSURE COMBINED		Cap. of		Height of		Diam of	
Cipher	WATER FILTERS AND	Res.	No. of	Filter.		Base.	
Word.	COOLERS. VESTA.		Tubes.	Inches		Inches.	
Vine	No. 3	2½ Gal.	3	41		15	
Vent	No. 5	2½ Gal.	5	41		15	

NON-RESERVOIR FILTERS.




EXTERIOR

For Factories
Schools or
Other Places.
Can be used
with or without
Storage Tanks.




INTERIOR

NON-RESERVOIR FILTERS.



EXTERIOR NO. 40 NON.

For large plants of every description, where a large quantity of pure water is required, such as Bottling Works, Photograph Galleries, Etc. Can be connected in batteries for general filtration.




STAND FOR NO. 40 NON


Cipher	Word.	DIRECT DELIVERY.	Cap. of Res.	No. of Tubes	Height of Filter.	Diam. of Base.
Thorn	No. 3	no Res.	None	3	15 $\frac{3}{4}$	5 In.
Snail	No. 6	no Res.	None	6	14 $\frac{1}{4}$	6 "
Toy	No. 12	no Res.	None	12	14 $\frac{1}{4}$	7 $\frac{1}{2}$ "
Ear	No. 18	no Res.	None	18	15	9 "
Fawn	No. 40	no Res.	None	40	33 $\frac{1}{2}$	19 "

SCHOOL FILTERS.

Specially designed for Schools
Used successfully on Yachts, Pleasure Boats
and Private Cars.



EXTERIOR




INTERIOR


Cipher Word.	DESCRIPTION.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches.	Diam. of Base. Inches.
Speed	No. 6	None	6	14	6
Tardy	No. 12	None	12	14	7½
English	No. 18	None	18	15	9

PORCELAIN LINED TANKS.


Successfully used where ice water is not required.




The Pasteur Army, Camp or Field Filter.



Set up Ready for Use.



Removing Tubes to Clean.



Folded Ready to Pack.

Cipher Word.	ARMY, FIELD OR CAMP FILTER.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches.	Diam. of Base. Inches.
America	With Strainer	None	12	38½	24
Army	Without Strainer	None	12	38½	24

The Pasteur Army, Camp or Field Filter,
as used by the
United States Army.



